


NOTES:

- 1) Clips shown are either S/H1 from Simpson Strong-Tie® Cold-Formed Steel Connectors Catalog C-CFS10 or H1 from Simpson Strong-Tie® Wood Construction Connectors Catalog 2009-2010 C-2009.
- 2) For required connectors, loading, and other acceptable clips see page 67 of C-CFS10 or pages 156-157 of C-2009.
- 3) When using connectors from C-2009, any connection into LSB should be made with #10 Self-Drilling, Self-Tapping Screws. Screws should be the appropriate length such that a minimum of three treads should penetrate LSB.
- 4) Clips from other manufacturers may be used per the manufacturers' installation instructions.
- 5) If ACQ (or other) treated wood is used, install Grace Vycor® Deck Protector® or equivalent barrier between wood and LSB.
- 6) Construction adhesive may be used between wood and LSB if desired.

<ul style="list-style-type: none"> • All LiteSteel Beam details are subject to local code provisions • All components should be selected & installed per the individual component manufacturers' instructions. • LiteSteel Technologies is not responsible for the performance of components not manufactured by LiteSteel Technologies. 			
	100 Smorgon Way Troutville, VA 24175 Phone : 540-992-1600 Fax: 540-992-5998 www.litesteelbeam.com sales@litesteelbeam.com	Description: Joist to Drop LSB Clip Attachment <hr/> DRAWING NOT TO SCALE	Rev #: _____ - _____ Rev Date: _____ - _____ Drawn By: _____ - _____ Checked By: _____ - _____
			Dwg #: 11-074 Dwg Date: 10/27/2011 Drawn By: AWN Checked By: JAM